	Type	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	212	702/122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
2	BRS	11539	709/223,224,227,228,229,230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
3	BRS	2544	370/229,230,230.1,231,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
4	BRS	2578	370/229,230,230.1,231,232,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
5	BRS	5308	713/200,201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
6	BRS	5693	370/229,230,230.1,231,232,401,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	237	702/122.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
8	BRS	12694	709/223,224,227,228,229,230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:05	
9	BRS	2760	370/229,230,230.1,231,232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM·TDB	2005/05/03 15:05	
10	BRS	2797	370/229,230,230.1,231,232,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
11	BRS	5956	713/200,201.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:06	
12	BRS	6191	370/229,230,230.1,231,232,401,912.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/03 15:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
13	BRS	0	test$3 with securit43 with firewall$1 with packet$1 with network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:07	
14	BRS	5	test$3 with securit$3 with firewall$1 with packet$1 with network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:08	
15	BRS	4	test$3 with securit$3 with firewall$1 with packet$1 with network$1 and (delay$3 or jitter$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:11	
16	BRS	1579	communicat$3 with network$1 with firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:11	
17	BRS	0	communicat$3 with network$1 with firewall$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with clos$3 with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
18	BRS	0	communicat$3 with network$1 with firewall$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:14	
19	BRS	3	communicat$4 with network$1 with firewall$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:15	
20	BRS	2	713/201.ccls. and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:15	
21	BRS	2	"713"/$.ccls. and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
22	BRS	7	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:26	
23	BRS	7	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:18	
24	BRS	1	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1 and (alert$3 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
25	BRS	4	communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1 and (alert$3 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:20	
26	BRS	3	communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with delay$1 with (terminat$3 or clos$3) with port$1 and (alert$3 or warn$3) with (eference$1 or threshold$1 or desired or expected or predetermined or preset$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:22	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	3	communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with (jitter$1 or delay$1) with (terminat$3 or clos$3) with port$1 and (alert$3 or warn$3) with (eference$1 or threshold$1 or desired or expected or predetermined or preset$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:11	
28	BRS	3	communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with (jitter$1 or delay$1) with (terminat$3 or clos$3) with port$1 and (alert$3 or warn$3) with (eference$1 or threshold$1 or desired or expected or predetermined or preset$4 or limit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:23	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
29	BRS	3	communicat$4 same network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with (jitter$1 or delay$1) with (terminat$3 or clos$3) with port$1 and (alert$3 or warn$3) with (eference$1 or threshold$1 or desired or expected or predetermined or preset$4 or limit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:23	
30	BRS	10	communicat$4 with network$1 and (jitter$1 or delay$1) with (terminat$3 or clos$3) with port$1 and (alert$3 or warn$3) with (eference$1 or threshold$1 or desired or expected or predetermined or preset$4 or limit$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:27	
31	BRS	63	communicat$4 with network$1 and delay$1 with (terminat$3 or clos$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
32	BRS	9	communicat$4 with network$1 and delay$1 with (terminat$3 or clos$3) with port$1 with communicat$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:28	
33	BRS	3	communicat$4 with network$1 and delay$1 with (terminat$3 or clos$3) with port$1 with communicat$4 same control$4 with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:29	
34	BRS	3	communicat$4 with network$1 and delay$1 with (terminat$3 or clos$3) with (pinhole$1 or port$1) with communicat$4 same control$4 with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:31	
35	BRS	7	communicat$4 with network$1 and delay$1 with (terminat$3 or clos$3) with (pinhole$1 or port$1) with communicat$4 and control$4 with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
36	BRS	13	communicat$4 with network$1 and delay$1 with open$3 with (terminat$3 or clos$3) with (interface or communicat$4) and control$4 with signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:37	
37	BRS	634	communicat$4 with network$1 and open$3 with (terminat$3 or clos$3) with time$1 and alarm$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:39	
38	BRS	102	communicat$4 with network$1 and open$3 with (terminat$3 or clos$3) with port$1 and alarm$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:39	
39	BRS	27	communicat$4 with network$1 and open$3 with (terminat$3 or clos$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined pr predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:41	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
40	BRS	16	communicat$4 with network$1 and open$3 with (terminat$3 or clos$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined pr predefined or reference$1) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:48	
41	BRS	3	communicat$4 with network$1 and open$3 with (terminat$3 or clos$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined pr predefined or reference$1) and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:45	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
42	BRS	3	firewall$1 and open$3 with (terminat$3 or clos$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined pr predefined or reference$1) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 15:49	
43	BRS	3	firewall$1 and open$3 with (terminat$3 or clos$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined pr predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:12	
44	BRS	8	firewall$1 and open$3 with (terminat$3 or clos$3) with port$1 and (alert$3 or alarm$1) with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined pr predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:08	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
45	BRS	0	(firewall$1 or communicat$4 with network$1) and delay$e and open$3 with (terminat$3 or clos$3) with port$1 and (alert$3 or alarm$1) with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined pr predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:08	
46	BRS	8	communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with (jitter$1 or delay$1) with (terminat$3 or clos$3 or end$3) with port$1 and (alert$3 or warn$3) with (eference$1 or threshold$1 or desired or expected or predetermined or preset$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_	2005/05/03 16:11	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
47	BRS	8	communicat$4 with network$1 and (determin$3 or monitor$3 or detect$3 or sens$3) with (jitter$1 or delay$1) with (terminat$3 or clos$3 or end$3) with port$1 and (alarm$1 or alert$3 or warn$3) with (eference$1 or threshold$1 or desired or expected or predetermined or preset$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:11	
48	BRS	3	firewall$1 and open$3 with (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or. preset$4 or predetermined or predefined or reference$1) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:12	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
49	BRS	35	firewall$1 and (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:12	
50	BRS	3	firewall$1 and delay$3 with (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	
51	BRS	3	firewall$1 and delay$3 same (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
52	BRS	35	firewall$1 and delay$3 and (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	
53	BRS	3	firewall$1 and delay$3 and open$3 with (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:13	
54	BRS	4	firewall$1 and delay$3 and open$3 same (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:14	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
55	BRS	4	firewall$1 and delay$3 and open$3 same (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1 or preselect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:15	
56	BRS	8	delay$3 with open$3 same (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1 or preselect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:15	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
57	BRS	8	delay$3 with open$3 with (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1 or preselect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:18	
58	BRS	38	communication$4 with network$1 and open$3 with (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1 or preselect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:18	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
59	BRS	19	communication$4 with network$1 and open$3 with (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1 or preselect$3) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:27	
60	BRS	3	communication$4 with network$1 and (monitor$3 or determin$3 or detect$3) with delay$3 with (terminat$3 or clos$3 or end$3) with port$1 and alarm$1 with (exceed$4 or threshold$1 or expected or desired or preset$4 or predetermined or predefined or reference$1 or preselect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:28	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
61	BRS	8	communication$4 with network$1 and (monitor$3 or determin$3 or detect$3) with delay$3 with (terminat$3 or clos$3 or end$3) with port$1 and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:30	
62	BRS	8	communication$4 with network$1 and (monitor$3 or determin$3 or detect$3) with delay$3 with (terminat$3 or clos$3 or end$3) with port$1 and (alarm$1 or alert$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:26	
63	BRS	64	communication$4 with network$1 and (monitor$3 or determin$3 or detect$3) with delay$3 with (terminat$3 or clos$3 or end$3) with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:33	
64	BRS	1	communication with network and (terminat$3 or clos$3) adj delay$3 with (threshold$1 or desired or expected or predefined or preset$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/03 16:36	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
65	BRS	118	post adj closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:26	
66	BRS	0	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and delay$3 with post$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:30	
67	BRS	24	delay$3 with post$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:27	
68	BRS	4	communicat$4 with network$1 and delay$3 with post$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:29	
69	BRS	7	communicat$4 and network$1 and delay$3 with post$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:29	
70	BRS	3	package$1 and delay$3 with post$1 with closing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 09:30	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
71	BRS	20	package$1 and delay$3 with post$1 with clos$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:30	
72	BRS	755	package$1 and delay$3 with open$3 with clos$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:30	
73	BRS	10	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and package$1 and delay$3 with open$3 with clos$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:32	
74	BRS	4	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and package$1 and delay$3 with open$3 with clos$3 and (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:33	
75	BRS	173	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and package$1 and clos$3 with port$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:33	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
76	BRS	81	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and package$1 and clos$3 with port$1 and (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:33	
77	BRS	12	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls.) and package$1 and clos$3 with port$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:35	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
78	BRS	13	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and package$1 and clos$3 with port$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:50	
79	BRS	2	"20020083175"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 09:48	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
80	BRS	4	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and package$1 and clos$3 with port$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
81	BRS	126	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and communication$1 adj network$1 with firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:04	
82	BRS	6	("709"/$.ccls. or "709"/$.ccls. or "370"/$.ccls. or "455"/$.ccls.) and communication$1 adj network$1 adj firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:06	
83	BRS	61	open$3 with (hole$1 or post$1) with firewall	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:07	
84	BRS	61	open$3 with (hole$1 or post$1) with firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
85	BRS	3	open$3 with (hole$1 or post$1) with firewall$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:08	
86	BRS	14	open$3 with (hole$1 or post$1) with firewall$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:14	
87	BRS	3	delay$3 with open$3 with (hole$1 or post$1) with firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:14	
88	BRS	4	delay$3 same open$3 with (hole$1 or post$1) with firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:21	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
89	BRS	3	delay$3 with open$3 with (hole$1 or post$1) and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:16	
90	BRS	6	delay$3 same open$3 with (hole$1 or post$1) and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:20	
91	BRS	6	(slow$2 or delay$3) same open$3 with (hole$1 or post$1) and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:19	
92	BRS	6	(slow$2 or delay$3 or jitter or jamming) same open$3 with (hole$1 or post$1) and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:20	
93	BRS	6	(slow$2 or delay$3 or jitter or jam$4) same open$3 with (hole$1 or post$1) and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:20	
94	BRS	6	(slow$2 or delay$3 or jitter or jam$4 or distort$3) same open$3 with (hole$1 or post$1) and firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
95	BRS	19	delay$3 and open$3 with (hole$1 or post$1) with firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:23	
96	BRS	7	tim$3 with delay$3 and open$3 with (hole$1 or post$1) with firewall$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:23	
97	BRS	4	tim$3 with delay$3 and open$3 with (hole$1 or post$1) with firewall$1 and (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:24	
98	BRS	4	tim$3 with delay$3 and open$3 with (hole$1 or post$1) with firewall$1 and (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 11:00	
99	BRS	4	tim$3 with delay$3 and open$3 with (hole$1 or post$1) same firewall$1 and (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:25	
100	BRS	18	tim$3 with delay$3 and open$3 with (hole$1 or post$1) and firewall$1 and (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	2005/05/04 10:26	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
101	BRS	5	tim$3 with delay$3 and open$3 with (hole$1 or post$1) and firewall$1 and (alert$3 or alarm$1 or warn$3) with (exceed$3 or expect$2 or desire$1 or predetermin$2 or predefined or presetting or threshold$1 or limitation$1 or preselect$2 or excess$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 10:27	
102	BRS	13	tim$3 with delay$3 and open$3 with (hole$1 or post$1) and firewall$1 and (differen$2 or compar$4) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:01	
103	BRS	991	tim$3 with delay$3 and open$3 with (hole$1 or post$1) and (alert$3 or alarm$1 or warn$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:00	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
104	BRS	3	voice$1 with traffic and open$3 with (hole$1 or post$1) and firewall$1 and (differen$2 or compar$4) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:01	
105	BRS	5	voice$1 with traffic and open$3 with (hole$1 or post$1) and (differen$2 or compar$4) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:02	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
106	BRS	46	voice$1 and traffic and open$3 with (hole$1 or post$1) and (differen$2 or compar$4) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:03	
107	BRS	40	voice$1 and traffic and open$3 with (hole$1 or post$1) and (differen$2 or compar$4) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and communicat$4 with network$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
108	BRS	24	voice$1 and traffic and open$3 with (hole$1 or post$1) and (differen$2 or compar$4) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and communicat$4 with network$1 and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:06	
109	BRS	6	voice$1 and traffic and open$3 with (hole$1 or post$1) and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and communicat$4 with network$1 and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:07	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
110	BRS	12	traffic$1 and open$3 with (hole$1 or post$1) and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and communicat$4 with network$1 and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:46	
111	BRS	8	traffic$1 and voice$1 and open$3 with (hole$1 or post$1) and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 11:10	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
112	BRS	19	package$1 and open$3 with (hole$1 or post$1) and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and communicat$4 with network$1 and delay$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:51	
113	BRS	43	open$3 with (hole$1 or post$1) and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and communicat$4 with network$1 and (time adj out or delay$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:51	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
114	BRS	12	open$3 with (hole$1 or post$1) and firewall$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1) and communicat$4 with network$1 and (time adj out or delay$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:56	
115	BRS	3	open$3 with (hole$1 or post$1) same firewall$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) and (time adj out or delay$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 12:57	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
116	BRS	12	open$3 with (hole$1 or post$1) and firewall$1 and (alert$3 or alarm$1) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) and (time adj out or delay$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:02	
117	BRS	3	open$3 with (hole$1 or post$1) and firewall$1 and (time adj out or delay$3) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) with (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:03	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
118	BRS	15	firewall$1 and (time adj out or delay$3) with (exceed$3 or expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) with (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:08	
119	BRS	4	firewall$1 and (time adj out or delay$3) with exceed$3 with (expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) with (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:28	
120	BRS	4	"6608553"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:20	
121	IS&R	3	("6608553").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:20	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
122	BRS	4	voice$1 and traffic and (time adj out or delay$3) with exceed$3 with (expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) with (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:29	
123	BRS	12	voice$1 and communicat$4 and (time adj out or delay$3) with exceed$3 with (expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) with (alert$3 or alarm$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:31	

	Type	Hits	Search Text	DBs	Time Stamp	Comments
124	BRS	8	voice$1 and communicat$4 and (time adj out or delay$3) with exceed$3 with (expected or desired or predetermined or predefined or presetting or threshold$1 or limitation$1 or preselect$3) with (alert$3 or alarm$1) and (port$1 or hole$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	2005/05/04 13:31	